

DARK GRAPE ACTIVE FOAM

SECTION 1. SUBSTANCE/MIXTURE IDENTIFICATION AND MANUFACTURER/SUPPLIER IDENTIFICATION

1.1. Product identification:
DARK GRAPE ACTIVE FOAM
UFI: 0KQ0-20G8-M00H-T00G

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Cleaning agent for car washes. For professional use only.
High-foaming, alkaline active foam. Designed for touchless car body washing.
PC-CLN-17.1 Cleaning products for external surfaces- all types of vehicles.

1.3 Data of the safety data sheet supplier

Przedsiębiorstwo RANAL Sp. z o.o.
Ul. Łódzka 3
42-240 Rudniki, PL

Tel.: +48 34 329 45 03
Fax: +48 34 320 12 16
Registration number 000029202

Person responsible for the safety data sheet: ranal@ranal.pl

1.4. Emergency telephone
+48 34 329 45 03 (8.00 - 15.00)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Mixture classification

The classification of this product has been carried out in accordance with Regulation No. 1272/2008 (CLP).
Eye Dam. 1: Serious eye damage/eye irritation, hazard category 1, H318 Met. Corr. 1: Substances causing metal corrosion, hazard category 1, H290 Skin Corr. 1: Skin corrosion/irritation, hazard category 1, H314

2.2 Label elements

EC Regulation 1272/2008(CLP):
Danger.



Hazard statements:
Met. Corr. 1: H290 May corrode metals.
Skin Corr. 1: H314 Causes severe skin burns and eye damage.

Precautionary statements:
P234: Store only in original container.
P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340: IF INHALED: Remove victim to fresh should and keep at rest in a position comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.
P501: Dispose of the contents/container to containers in accordance with the regulations on hazardous waste or containers and waste in containers, respectively.

Substances relevant for classification:
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2.5 EO; Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts; sodium hydroxide.

2.3 Other hazards

The substances used do not meet the PBT/vPvB criteria. It does not contain substances that disrupt the functioning of the endocrine system.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable.

3.2. Mixtures

Chemical description:
Alkaline mixture based on organic substances.

DARK GRAPE ACTIVE FOAM

Components:

According to Annex II to Regulation (EC) No. 1907/2006 (point 3), the product contains:

Identification	Chemical Name	Classification	Concentration
CAS: 68891-38-3 EC: 500-234-8 Index no: Not applicable REACH: 01-2119488639-16-XXXX	Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO⁽¹⁾	Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315- Danger	5 - <8%
CAS: 112-34-5 EC: 203-961-6 Index no: 603-096-00-8 REACH: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol⁽¹⁾	Eye Irrit. 2: H319- Warning ATP CLP00	2.5 - <5%
CAS: 68439-57-6 EC: 931-534-0 Index no: Not applicable REACH: 01-2119513401-57-XXXX	Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts⁽¹⁾	Eye Dam. 1: H318; Skin Irrit. 2: H315- Danger	2.5 - <5%
CAS: 1310-73-2 EC: 215-185-5 Index no: 011-002-00-6 REACH: 01-2119457892-27-XXXX	sodium hydroxide⁽¹⁾	Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314- Danger	1 - <2,5 %

⁽¹⁾ The substance poses a risk to health or the environment, meets the criteria set out in Commission Regulation (EU) 2020/878.

For more information on the hazards caused by the substances see sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2.5 EO 68891-38-3 EC: 500-234-8	% (m/m) >=10: Eye Dam. 1 - H318 5<= % (m/m) <10: Eye Irrit. 2- H319
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	% (m/m) >=5: Skin Irrit. 2 - H315 % (m/m) >=38: Eye Dam. 1 - H318 5<= % (m/m) <38: Eye Irrit. 2- H319
Sodium hydroxide CAS: 1310-73-2 EC: 215-185-5	% (m/m) >=0.1: Met. Corr. 1 - H290 % (m/m) >=5: Skin Corr. 1A - H314 2<= % (m/m) <5: Skin Corr. 1B - H314 0,5<= % (m/m) <2: Skin Irrit. 2 - H315 % (m/m) >=2: Eye Dam. 1 - H318 0.5<= % (m/m) <2: Eye Irrit. 2- H319

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

Call a doctor immediately and show him this Material Safety Data Sheet.

Inhalation:

The product does not contain substances classified as hazardous when inhaled, but if any symptoms of poisoning occur, remove the injured from the exposure zone and provide him with access to fresh air. If symptoms persist or worsen consult a doctor.

Contact with skin:

Take off contaminated clothes and shoes, clean the skin or wash the injured person with natural soap, rinsing thoroughly with cold water. In case of serious disturbances consult a doctor. If the mixture caused burns or frostbite do not remove clothes from the injured, because if the clothes are stuck to the skin, it may cause even more damage. If blisters appear on the skin, do not pierce them as this may increase the risk of infection.

Contact with eyes:

Rinse the eyes thoroughly with water at room temperature for 15 minutes. Do not allow the injured to rub or close his eyes. If the injured person wears contact lenses, they should be removed unless they are stuck to the eye, otherwise it may cause further injuries. In all cases, after washing, consult a doctor as soon as possible and show him this Material Safety Data Sheet.

Ingestion/aspiration:

Call a doctor immediately and show him this Material Safety Data Sheet. Do not induce vomiting, as the ejection of gastric contents may damage the mucous membrane of the upper part of the digestive system, and may also lead to its aspiration. Rinse mouth and throat with water as they have probably been contaminated when swallowed. If unconscious, do not give anything by mouth until consulted by a doctor. Provide the injured person with rest.

4.2. Most important symptoms both acute and delayed

Acute and delayed symptoms of exposure are described in sections 2 and 11 of the MSDS.

4.3. Indications of any immediate medical attention and special treatment needed

No data.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents:

The product is not flammable under normal conditions of handling, and storage. In the event of ignition due to improper handling, storage or use, dry powder extinguishers (ABC powder) should preferably be used in accordance with the Regulations on Fire Protection Devices.

Unsuitable extinguishing agents:

No data.

DARK GRAPE ACTIVE FOAM

5.2. Special hazards arising from the substance or mixture

Combustion or thermal decomposition form reaction sub-products which can be highly toxic and in consequence may pose a serious health risk.

5.3. Advice for fire fighters

Depending on the extent of the fire, it may be necessary to use complete protective clothing and autonomous breathing equipment. A minimum supply of emergency devices and measures (fire blankets, first aid kit) in accordance with Directive 89/654 / EC should be available.

Additional provisions:

Act in accordance with the Internal Emergency Plan and information leaflets describing what to do in the event of accidents and other emergencies. Disable all ignition sources In the event of fire cool the containers used for storing products vulnerable to ignition, explosion or BLEVE explosion due to high temperatures. Do not let products used to extinguish a fire enter the water tank.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency measures

For persons not being part of the personnel eliminating the effects of the failure:

Secure the release of the product, if this activity does not pose a threat to the people who carry it out. In the event of possible contact with the spilled product, it is obligatory to use personal protective equipment (see section 8). Evacuate the site and remove people who do not have the proper protective measures.

For personnel taking part in emergency procedures:

Wear protective clothing. Move unprotected persons to a safe place. See section 8.

6.2. Environmental precautions

The product is not classified as hazardous. Prevent contamination of ground and surface waters, watercourses, soil and sewage system.

6.3 Methods and materials for containment and cleaning up

It is recommended to:

Absorb the spilled product with sand or or neutral absorbent and transport it to a safe place. Do not use sawdust or other flammable materials to absorb the product. For any product disposal considerations, see section 13.

6.4. Reference to other sections

Product waste handling - section 13 of the safety data sheet, personal protective equipment - section 8 of the safety data sheet.

SECTION 7. HANDLING AND STORAGE OF SUBSTANCES AND MIXTURES

7.1. Precautions for safe handling

Precautions necessary for safe handling of the product:

Comply with the applicable law regarding the prevention of risks in the workplace. Control spills and wastes by using safe disposal methods (section 6). Prevent spontaneous release from containers. Keep order and cleanliness when handling hazardous products. **STORE ONLY IN ORIGINAL CONTAINER.**

Technical recommendations for the prevention of fires and explosions:

The product is not flammable under normal conditions of handling, and storage. It is recommended to pour the product slowly to prevent formation of electrostatic charges that could negatively affect flammable products. Information on conditions and substances to be avoided is provided in section 10.

Technical recommendations to prevent toxicological risks:

Do not eat or drink when handling the product and wash your hands with an appropriate cleaning agent after completing the procedure.

Technical recommendations to prevent environmental risks:

It is recommended to keep absorbent material close to the product (see section 6.3).

7.2. Conditions for safe storage, including any incompatibilities

Technical aspects of storage:

Min. temp.: 5°C

Max. temp.: 30°C

Maximum time: 36 months

General conditions of storage:

Avoid sources of heat, radiation and electrostatics. Keep away from food.

For more information see section 10.5.

7.3. Special end uses:

Apart from the indications already mentioned, it is not necessary to follow any specific recommendations concerning the application of the product. See section 1.2.

DARK GRAPE ACTIVE FOAM

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION MEASURES

8.1. Control parameters

Occupational exposure limit values should be controlled for the following substances:
 Official Journal 2018, item 1286:

Identification	Limit values of environmental quality standards	
Sodium hydroxide	MPC	0.5 mg/m ³
CAS: 1310-73-2 EC: 215-185-5	MPIC	1 mg/m ³
2-(2-butoxyethoxy)ethanol	MPC	67 mg/m ³
CAS: 112-34-5 EC: 203-961-6	MPIC	100 mg/m ³

DNEL (Workers):

Identification		Short-time exposure		Long-time exposure	
		Systemic	Local	Systemic	Local
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO CAS: 68891-38-3, EC: 500-234-8	Oral	No data	No data	No data	No data
	Skin	No data	No data	2750 mg/kg	No data
	Inhalation	No data	No data	175 mg/m ³	No data
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Oral	No data	No data	No data	No data
	Skin	No data	No data	83 mg/kg	No data
	Inhalation	No data	101.2 mg/m ³	67.5 mg/m ³	67.5 mg/m ³
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6, EC: 931-534-0	Oral	No data	No data	No data	No data
	Skin	No data	No data	2158.33 mg/kg	No data
	Inhalation	No data	No data	152.22 mg/m ³	No data
sodium hydroxide CAS: 1310-73-2 EC: 215-185-5	Oral	No data	No data	No data	No data
	Skin	No data	No data	No data	No data
	Inhalation	No data	No data	No data	1 mg/m ³

DNEL (Population):

Identification		Short-time exposure		Long-time exposure	
		Systemic	Local	Systemic	Local
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO CAS: 68891-38-3, EC: 500-234-8	Oral	No data	No data	15 mg/kg	No data
	Skin	No data	No data	1650 mg/kg	No data
	Inhalation	No data	No data	52 mg/m ³	No data
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Oral	No data	No data	5 mg/kg	No data
	Skin	No data	No data	50 mg/kg	No data
	Inhalation	No data	60.7 mg/m ³	40.5 mg/m ³	40.5 mg/m ³
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6, EC: 931-534-0	Oral	No data	No data	12.95 mg/kg	No data
	Skin	No data	No data	1295 mg/kg	No data
	Inhalation	No data	No data	45.04 mg/m ³	No data
sodium hydroxide CAS: 1310-73-2 EC: 215-185-5	Oral	No data	No data	No data	No data
	Skin	No data	No data	No data	No data
	Inhalation	No data	No data	No data	1 mg/m ³

PNEC:

Identification				
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO CAS: 68891-38-3 EC: 500-234-8	Sewage treatment plant	10000 mg/L	Fresh water	0.24 mg/L
	Soil	7.5 mg/kg	Sea water	0.024 mg/L
	Intermittent	0.071 mg/L	Sediment (fresh water)	0.917 mg/kg
	Oral	No data	Sediment (Sea water)	0.092 mg/kg
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Sewage treatment plant	200 mg/L	Fresh water	1.1 mg/L
	Soil	0.32 mg/kg	Sea water	0.11 mg/L
	Intermittent	11 mg/L	Sediment (fresh water)	4.4 mg/kg
	Oral	0.056 g/kg	Sediment (Sea water)	0.44 mg/kg
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	Sewage treatment plant	4 mg/L	Fresh water	0.024 mg/L
	Soil	1.21 mg/kg	Sea water	0.002 mg/L
	Intermittent	0.02 mg/L	Sediment (fresh water)	0.767 mg/kg
	Oral	No data	Sediment (Sea water)	0.077 mg/kg

8.2. Exposure control

A. Personal protective measures such as personal protective equipment:

As a preventive measure, it is recommended to use protective clothing marked with the "CE marking". More information on protective clothing (storage, use, cleaning, maintenance, protection class ...) can be found in the information leaflet provided by the manufacturer of the protective clothing. The directions here are given for the pure product. The instructions for the diluted product may vary according to the dilution ratio, type of use, method of application, etc. When determining the obligation to install emergency showers and / or eyewash devices in the storeroom, the regulations regarding the storage of chemical products will be taken into account. For more information see sections 7.1 and 7.2.



All the information contained in this section - due to the lack of information on the protective equipment owned by the company- should be treated as a recommendation in order to prevent hazards when working with the product.

B. Respiratory protection:

In the event of mist formation or in a situation where the maximum permissible concentration is exceeded, it will be necessary to use respiratory protection.



DARK GRAPE ACTIVE FOAM

C. Special hands protection:





Pictogram	Protective equipment	Labelling	CEN standards	Note:
 Obligatory hands protection.	Disposable gloves protecting against chemical agents (Material: Linear Low Density Polyethylene (LLDPE), Breakthrough time: > 480 min., Thickness of the material: 0.062 mm)		EN ISO 21420:2020	Replace the gloves in case of any sign of damage.

As the product is made up of different materials, it is not possible to verify the strength of the glove completely reliably in advance and therefore has to be checked before use.



D. Eye and face protection:

Pictogram	Protective equipment	Labelling	CEN standards	Note:
 Obligatory face protection.	Panoramic glasses protecting against liquid splashes and/or spatter		EN 166:2002 EN ISO 4007:2018	Clean every day and disinfect regularly according to the manufacturer's instructions. It is recommended to use where there is a risk of liquid splashing.

E. Body protection:

Pictogram	Protective equipment	Labelling	CEN standards	Note:
	Workwear			Replace if there are any signs of damage. For prolonged exposure to the product, EC III is recommended for professional/industrial users, in accordance with EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994
	Non-slip work footwear		EN ISO 20347:2012	Replace if there are any signs of damage. For prolonged exposure to the product, EC III is recommended for professional/industrial users, in accordance with EN ISO 20345:2012 i EN 13832-1:2007

F. Additional emergency measures:

Emergency measures	Standards	Emergency measures	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eye rinse device	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental control

Pursuant to the Community law on environmental protection, it is recommended to prevent the product and its packaging from getting into the environment. For more information see section 7.1.

Volatile Organic Compounds:

Official Journal 2016, item 1353:

VOC concentration 20°C: 36.95 g/L

According to the requirements of the applicable law, this product has the following properties:

VOC (content): 0.01 % mass

VOC concentration 20°C: 0.12 kg/m³ (0.12 g/L)

Average number of carbons 9.29

Average molecular weight: 145.55 g/mol

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical aspect:

Physical state 20°C:

Appearance:

Colour:

Odour:

Odour threshold:

Liquid
Liquid
Pink
Characteristic
no data*

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 20°C:

Vapour pressure at 50°C:

Evaporation rate:

102°C
no data*
no data*
no data*

Product characteristics:

Density 20°C:

Relative density 20°C:

Dynamic viscosity 20°C:

Kinematic viscosity 20°C:

Kinematic viscosity 40°C:

Concentration

pH:

Vapour density 20°C:

n-octanol/water partition coefficient 20°C:

1020 - 1050 kg/m³
no data*
no data*
no data*
no data*
no data*
12-13 (for 100 % solution)
no data*
no data*

DARK GRAPE ACTIVE FOAM

Solubility in water 20°C:	no data*
Degree of solubility:	Soluble in water
Breakdown point:	no data*
Melting /freezing point:	no data*
Flammability:	
Flash point:	Not flammable (>60°C)
Flammability (solid, gas):	no data*
Auto ignition point:	204°C
Bottom flammability limit:	no data*
Top flammability limit:	no data*
Particles characteristics:	
Median of diameter equivalent:	Not applicable.

9.2. Other information

Information on the physical hazard classes:

Explosive properties:	no data*
Oxidizing properties:	no data*
Substances corrosive to metals:	H290 May corrode metals
Heat of combustion:	no data*
Aerosols - total percentage (by mass) of flammable components:	no data*

Other safety features:

Surface tension 20°C:	no data*
Refraction index:	no data*

*There is no information about hazards caused by the product.

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

The product is not reactive in conditions of storage. See section 7.

10.2. Chemical stability

The product is chemically stable conditions of storage and use.

10.3. Possibility of hazardous reactions

There are no hazardous reactions if the product is stored as recommended.

10.4. Conditions to be avoided

Use an store at room temperature.

Shocks and friction	Contact with air	Heating:	Sunlight:	Humidity:
Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.

10.5. Incompatible materials

Acids:	Water:	Oxidants:	Flammable materials:	Other:
Precautionary measures	Not applicable.	Precautionary measures	Not applicable.	Not applicable.

10.6. Hazardous decomposition products

For the details on decomposition products see sections 10.3, 10.4 and 10.5. Depending on the conditions of decomposition, the process may release complex mixtures of chemical substances: carbon dioxide (CO₂), carbon monoxide and other organic compounds. For more information see section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

There are no experimental data on the toxicological properties of the product.

Contains glycols, possible health hazards, therefore it is recommended not to inhale its vapours for too long.

Health hazard:

In case of prolonged exposure or at concentrations higher than the established occupational exposure limits, side effects on health may occur depending on the route of exposure:

A. Ingestion (acute effects):

- Acute toxicity: Based on available data, the classification criteria are not met, but the product contains substances classified as hazardous if swallowed. For more information see section 3.
- Caustic/Irritating: Corrosive product, when swallowed, causes burns and completely destroys tissues. For more information on side effects in the event of skin contact, see section 2.

B. Inhalation (acute effects):

- Acute toxicity: Based on available data, the classification criteria are not met, but the product contains substances classified as hazardous if inhaled. For more information see section 3.

DARK GRAPE ACTIVE FOAM

- Caustic/Irritating: In case of prolonged inhalation, the product has a destructive effect on the tissues of the mucous membranes and the upper respiratory tract.

C. Contact with skin and eyes (acute effects):

- Contact with skin: In the event of skin contact, the product destroys the fabric entirely and causes burns. For more information on side effects in the event of skin contact, see section 2.
- Contact with eyes: Causes serious damage in contact with eyes.

D. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met. The product does not contain substances classified as hazardous due to effects mentioned before. For more information see section 3.
- May cause genetic effects: Based on available data, the classification criteria are not met. The product does not contain substances classified as hazardous. For more information see section 3.
- May cause harmful effect to reproduction: Based on available data, the classification criteria are not met. The product does not contain substances classified as hazardous. For more information see section 3.

E.- sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met. The product does not contain substances classified as hazardous due to their sensitizing effects. For more information see section 3.
- Skin: Prolonged contact of the product with skin may lead to allergic contact dermatitis.

F.- Specific target Organ Toxicity (STOT) time of exposure:

Based on available data, the classification criteria are not met, but the product contains substances classified as hazardous if inhaled. For more information see section 3.

G. Specific target Organ Toxicity (STOT), repeated exposure:

- Specific target Organ Toxicity (STOT) repeated exposure: Based on available data, the classification criteria are not met. The product does not contain substances classified as hazardous. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, but the product contains substances classified as hazardous in case of repeated exposure. For more information see section 3.

H.- Aspiration hazard:

Based on available data, the classification criteria are not met. The product does not contain substances classified as hazardous. For more information see section 3.

Other information:

No data.

Detailed toxicological information on substances:

Identification	Acute toxicity		Type
	LD50 oral	LD50 skin	
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	2290 mg/kg		Rat
		6300 mg/kg	Rabbit
		No data	

Estimated acute toxicity (ATE mix):

ATE mix		Components of unknown toxicity
Oral	>2000 mg/kg (calculation method)	Not applicable.
Skin	>2000 mg/kg (calculation method)	Not applicable.
Inhalation	> 20 mg/L (4 h) (calculation method)	Not applicable.

11.2. Information on other hazards

Endocrine disrupting properties:

The product does not contain substances disrupting the functioning of the endocrine system.

Other information: No data.

SECTION 12. ECOLOGICAL INFORMATION

There are no experimental data on the ecotoxicological properties of the mixture itself.

12.1. Toxicity

Acute toxicity:

Identification	Concentration		Type	Type
	LC50	EC50		
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO CAS: 68891-38-3 EC: 500-234-8	7.1 mg/L (96 h)		Danio rerio	Fish
		7.4 mg/L (48 h)	Daphnia magna	Crustacea
		27 mg/L (72 h)	Scenedesmus subspicatus	Alga
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	1300 mg/L (96 h)		Lepomis macrochirus	Fish
		2850 mg/L (24 h)	Daphnia magna	Crustacea
		53 mg/L (192 h)	Microcystis aeruginosa	Alga
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	4.2 mg/L (96 h)		Brachydanio rerio	Fish
		4.53 mg/L (48 h)	Daphnia magna	Crustacea
		5.2 mg/L (72 h)	Skeletonema costatum	Alga

DARK GRAPE ACTIVE FOAM

sodium hydroxide CAS: 1310-73-2 EC: 215-185-5	LC50	189 mg/L (48 h)	Leuciscus idus	Fish
	EC50	33 mg/L	Crangon crangon	Crustacea
	EC50	No data		

Chronic toxicity:

Identification	Concentration	Type	Type	
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO CAS: 68891-38-3 EC: 500-234-8	NOEC	0.2 mg/L	Oncorhynchus mykiss	Fish
	NOEC	0.27 mg/L	Daphnia magna	Crustacea
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6, EC: 931-534-0	NOEC	No data		
	NOEC	6.3 mg/L	Daphnia magna	Crustacea

12.2. Persistence and degradability

Detailed information on the substances

Identification	Degradability		Biodegradability:	
Alcohol, C12-14, ethoxylated, sulfate, sodium salts <2,5 EO CAS: 68891-38-3 EC: 500-234-8	BOD5	No data	Concentration	10.5 mg/L
	COD	No data	Period	28 days
	BOD/COD	No data	% biodegradable	100%
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	BOD5	0.25 g O2/g	Concentration	100 mg/L
	COD	2.08 g O2/g	Period	28 days
	BOD/COD	0.12	% biodegradable	92%
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	BOD5	No data	Concentration	20 mg/L
	COD	No data	Period	28 days
	BOD/COD	No data	% biodegradable	96%

12.3. Bioaccumulative potential

Detailed information on the substances:

Identification	Bioaccumulative potential	
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	BCF	0.46
	Log POW	0.56
	Potential	Low
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	BCF	71
	Log POW	-1.3
	Potential	Medium

12.4 Mobility in soil

Identification	Absorption/desorption		Variability	
2-(2-butoxyethoxy)ethanol CAS: 112-34-5 EC: 203-961-6	Koc	48	Henry's constant	7.2E-9 Pa·m ³ /mol
	Conclusions	Very high	Of dry soil	No
	Surface tension	3,395E-2 N/m (25 °C)	Of wet soil	No
Sulfonic acids, C14-16-hydroxy alkene and C14-16-alkene, sodium salts CAS: 68439-57-6	Koc	1.6	Henry's constant	6.7E-2 Pa·m ³ /mol
	Conclusions	Very high	Of dry soil	Yes
	Surface tension	No data	Of wet soil	Yes

12.5. Results of PBT and vPvB assessment

The substances used do not meet the criteria of PBT/vPvB.

12.6 Other hazardous effects

The product does not contain substances disrupting the functioning of the endocrine system.

12.7. Other hazardous effects

No data.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Code	Description:	Waste type (Commission Regulation (EU) no 1357/2014)
20 01 15*	Alkali	Dangerous

Waste type (Commission Regulation (EU) no 1357/2014):

HP8 Corrosive.

Waste administration (disposal and assessment):

It should be handed over to a specialized disposal company authorized to assess and remove waste in accordance with Annex 1 and Annex 2 (Directive 2008/98 / EC of the European Parliament and of the Council). According to the code 15 01 (2014/955 / EU), when the container is in direct contact with the product, it should be handled in the same way as the product. Otherwise, it should be treated as non-hazardous waste. It is not recommended to discharge it into water courses. See section 6.2

DARK GRAPE ACTIVE FOAM

Waste administration provisions:

Pursuant to Annex II of Regulation (EC) No. 1907/2006 (REACH), Community or national provisions related to waste management have been adopted.

Community law:

Directive 2008/98/EC, 2014/955/EU, Commission Regulation (EU) No 1357/2014

SECTION 14. TRANSPORT INFORMATION

Ground transport of dangerous goods:

According to the requirements of ADR 2021 and RID 2021:



14.1 UN number or ID number

UN3267

14.2. UN proper shipping name

CORROSIVE LIQUID BASIC, ORGANIC, N.O.S. (sodium hydroxide).

14.3 Transport hazard class

8

Labels: 8

14.4. Packaging group

II

14.5. Environmental hazards

No.

14.6. Special precautions for users

Special provisions: 274

Tunnel restriction code: E.

Physical and chemical properties: see section 9

Limited Quantity: 1 L.

14.7 Land transport in bulk in accordance with IMO instruments

No data.

Sea transport of dangerous goods:

According to IMDG 40-20:



14.1 UN number or ID number

UN3267

14.2 UN proper shipping name

CORROSIVE LIQUID BASIC, ORGANIC, N.O.S. (sodium hydroxide).

14.3 Transport hazard class

8

Labels: 8

14.4. Packaging group

II

14.5 Marine pollutant:

No.

14.6. Special precautions for users

Special provisions: 274

EmS code: F-A, S-B

Physical and chemical properties: see section 9

Limited Quantity: 1 L.

Segregation group: SGG18

14.7 Sea transport in bulk in accordance with IMO instruments

No data.

DARK GRAPE ACTIVE FOAM

Air transport of dangerous goods:

According to the requirements of IATA/ ICAO 2022:



14.1 UN number or ID number

UN3267

14.2 UN proper shipping name

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hydroxide).

14.3 Transport hazard class

8

Labels: 8

14.4. Packaging group

II

14.5 Environmental hazards

No.

14.6. Special precautions for users

Physical and chemical properties: see section 9

14.7. Air transport in bulk in accordance with IMO instruments

No data.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislations specific for the substance or mixture

Substances candidating to authorization pursuant to EC Regulation 1907/2006(REACH): No data.

Substances present in Annex XIV of REACH (authorization list) and expiry date: No data.

Regulation (EC) No 1005/2009 on substances depleting the ozone layer: No data.

Article 95, REGULATION (EU) NO 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL: No data.

REGULATION (EU) No 649/2012 concerning the export and import of dangerous chemicals: No data.

Regulation (EC) No. 648/2004 on detergents as amended:

According to this regulation the product meets the following criteria:

The surfactants contained in this mixture meet the biodegradability criterion of Regulation (EC) No. 648/2004 on detergents. Data that confirm this statement are at the disposal of the relevant authorities of the Member States and will be made available to them at the direct request or at the request of the manufacturer of cleaning products.

Content Labelling:

Component	Concentration range
Anionic surfactants	5 <= % (m/m) < 15
Fragrances	

Seveso III:

No data.

Restrictions on the sale and use of certain hazardous substances and mixtures (Annex XVII of REACH, etc ...):

Contains more than 3% by weight of 2-(2-butoxyethoxy)ethanol. 1 Shall not be placed on the market after 27 June 2010 for sale to the general public as a component in paints, cleaners in aerosol dispensers, in a concentration equal to or greater than 3% by weight. 2 Paints and cleaners in aerosol dispensers containing BEE not complying with point 1) shall not be placed on the market for sale to the general public after 27 December 2010. 3. Without prejudice to other Community legislation on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure that paints other than paints in aerosol dispensers containing BEE, in concentrations equal to or greater than 3% by weight, placed on the market for sale to the general public, by December 27, 2010, have a visible, legible and durable information: 'Do not use in paint spray equipment.'

They cannot be used in

- decorative articles intended to produce light or color effects by means of different phases, e.g. in decorative lamps and ashtrays,
- tricks and jokes,
- games intended for one or more participants, or articles intended to be used as such, even for decorative purposes.

Specific provisions for the protection of people or the environment:

It is recommended to use the information collected in this safety data sheet as a preliminary data to assess the local risk in order to take the necessary steps to prevent the risks associated with the handling, use, storage and disposal of this product.

Other regulations:

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/ 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

DARK GRAPE ACTIVE FOAM

- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.
- Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.
- Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
- Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.
- The personal protective equipment used should meet the requirements of applicable law.
- Government Statement of 22 May 2013 on the entry into force of amendments to the Regulations for the International Carriage of Dangerous Goods by Rail (RID), constituting Annex C to the Convention concerning International Carriage of Dangerous Goods by Rail (COTIF), made in Bern on 9 May 1980. Official Journal of 2013 item 840).
- Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013.
- Government Statement of February 18, 2019 on the entry into force of amendments to Annexes A and B of the European Agreement on the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957. (Journal of Laws of 2019, item 769).
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)
- Regulation (EC) No 1336/2008 of the European Parliament and of the Council of 16 December 2008 amending Regulation (EC) No 648/2004 to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (Official Journal EU L 354 of December 31 2008)

15.2. Chemical safety assessment

Chemical safety assessment has not been performed.

SECTION 16. OTHER INFORMATION

Provisions regarding the Safety Data Sheets:

This Safety Data Sheet was created in accordance with ANNEX II - Guidance for persons compiling Safety Data Sheets to Regulation (EC) No. 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Changes compared to the previous safety data sheet affecting risk management:

N/A

Texts of the regulation mentioned in section 2:

H314: Causes serious skin burns and eye damage.

H318: Causes serious eye damage.

H290: May corrode metals.

Texts of the regulation mentioned in section 3:

These phrases do not refer to the product itself, they are for informational purposes only and refer to individual components mentioned in section 3 of the MSDS.

EC Regulation 1272/2008(CLP):

Aquatic Chronic 3: H412 - Harmful to aquatic life with long-lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes eye irritation.

Met. Corr. 1: H290 - May corrode metals.

Skin Corr. 1A: H314 - Causes serious skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Classification process:

Skin Corr. 1: Calculation method

Eye Dam. 1: Calculation method

Advice on staff training:

It is recommended that personnel who will handle this product receive basic safety training to help understand and interpret the MSDS and product label.

Main sources of literature:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Abbreviations used in the text:

Supp. Class.: Supplier Classification

ADR: International Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

COD Chemical oxygen demand (COD).

BOD: Biochemical oxygen demand (BOD) within 5 days.

DARK GRAPE ACTIVE FOAM

BCF: bioconcentration factor
Log POW: log POW: octanol/water partition coefficient.
NDS: maximum permissible concentration.
NDSCh: maximum Permissible Instantaneous Concentration.
EC50: effective concentration (the concentration of the component at which 50% of the organisms show an effect within a specified time)
LD50: medial lethal dose.
LC50: medial lethal concentration.
EC50: medial effective concentration.
PBT: the ability of toxic substances to bioaccumulate
vPvB: very high ability of toxic substances to bioaccumulate
IWO: personal protective measures
STP: sewage treatment plant.
Henry: the solubility of a given component in a solution depending on the partial pressure of that component above the solution
EC: EINECS and ELINCS number (see also EINECS and ELINCS)
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European Inventory of Notified Chemical Substances
CEN: European Committee for Standardization
STOT: Specific Target Organ Toxicity
Koc: the partition coefficient normalized to the content of organic carbon, determines the degree of absorption of organic substances in the soil
DNEL: derived no-effect level
PNEC: predicted no-effect concentration
BDO: registration number from the Waste Database
UFI: unique identifier of the active form
IARC: International Agency for Research on Cancer

The information contained in the MSDS results from the current state of knowledge and experience in product handling. Data on this product is presented in order to comply with safety requirements, not to guarantee its specific properties.
The employer is obliged to inform all workers who have contact with the product about the hazards and personal protection measures specified in this Material Safety Data Sheet.
This Material Safety Data Sheet has been developed on the basis of the Material Safety Data Sheets of the components provided by the manufacturers, conducted research as well as the applicable regulations on hazardous substances and chemical preparations.
Before they start working with the product, the users should learn the Health and Safety regulations regarding handling chemicals, and in particular, undergo appropriate workplace training.

Sheet number: 09-3PJL-0123-V1